L Number	Hits	Search Text	DB	Time stamp
8	2	(compiler same optimi$6) and ((change near2 sequence) near2 code) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:36
9	179	(compiler same optimi$6) and (((change near2 sequence) near2 code) or (change near3 program)) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:36
10	10	(compiler same optimi$6) and (((change near2 sequence) near2 code) or (change near3 'source program')) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:37
11	9	(compiler same optimi$6) and (((change near2 sequence) near2 code) or (change near3 'source program')) and 'register' and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:46
12	0	(compiler same optimi$6) and (((change near2 sequence) near2 code) or (change near3 'source program')) and 'register' and 'caller' and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:46
-	2	((program near2 analy$3) same ('performance' near5 optimi$6)) and (register near2 alloca$4) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB	2004/11/01 15:29
-	2	((program near2 analy$3) same ('performance' near5 optimi$6)) and (register near2 alloca$4) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:30
-	5	((rearrang$5 near3 registe$2) same optimi$6) and (registe$2 near2 alloca$4) and 'caller' and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 09:54
-	0	((rearrang$5 near3 registe$2) same optimi$6) and (registe$2 near2 alloca$4) and 'caller' and ((instruct$4 near2 analy$4) or (command near2 analy$4)) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 09:56
-	5	((rearrang$5 near3 registe$2) same optimi$6) and (registe$2 near2 alloca$4) and 'caller' and ((instruct$4 same analy$6) or (command same analy$6) or (program same analy$6)) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:11

-	5	((rearrang$5 near3 registe$2) same optimi$6) and (registe$2 near2 alloca$4) and 'chain' and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:17
-	5	((rearrang$5 near3 registe$2) same optimi$6) and (registe$2 near2 alloca$4) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:18
-	13	((rearrang$5 near3 registe$2) same optimi$6) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 11:49
-	109	(compiler same optimi$6) and ('additional' near2 registe$2) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 11:50
-	37	(compiler same optimi$6) and (register near2 allocation) and ('additional' near2 registe$2) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 11:51
-	37	(compiler same optimi$6) and (register near2 allocation) and 'program' and ('additional' near2 registe$2) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 11:51
-	18	(compiler same optimi$6) and (register near2 allocation) and 'program' and 'caller' and ('additional' near2 registe$2) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 14:40
-	0	(compiler same optimi$6) and (register near2 allocation) and ((dynam$2 near3 instrument$3) or (dynam$2 near3 optimi$3)) and 'caller' and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 14:44
-	14	(compiler same optimi$6) and (register near2 allocation) and ((dynam$2 near3 instrument$3) or (dynam$2 near3 optimi$3)) and (@prad<20020110 or @ad<20020110 or @rlad<20020110)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 10:42